

Removable
PROSTHO

Sept '2005

Name: _____
Desk #: _____

DEND 269
Quiz #2

DR. LOVE

1. In the maxilla, the incisive papilla is a pad of connective tissue overlying the orifice of the nasopalatine canal. It is a relatively stable landmark and can be used as a guide to establish the position of the maxillary central incisors. The incisal edges will be approximately 7 mm labial to this landmark.
- a. True
 - b. False

2. Frenum attachments, both maxillary and mandibular, are folds of mucous membrane with significant muscle fibers.
- a. True
 - b. False

3. What is the primary support area for the mandibular denture?

4. What is the modiolus and why is it important in denture construction?

a. _____
b. _____

5. What muscle provides support and mobility of the soft tissues of the cheek, the fibers are parallel to the plane of occlusion and in aging people will lose its tension such that cheek biting will be more prominent.

6. During Dr. Sawyer's lecture, he stated that there was one situation where a person would not be able to tolerate wearing dentures. That situation was described as:

7. What is an epulis fissuratum and what causes it?

A.

B.

1. Name Four types of maxillary major connectors

A. A-P

B. V-shaped / horseshoe

C. Palatal bar

D. Palatal Straps

100

2. Name two types of mandibular major connectors

A. Linguo plate

B. Lingual bar

3. Explain cross-arch stabilization

A partial denture for an edentulous area on one side of the arch must extend to the opposite side to stabilize it from tipping forces.

4. Which of the following classifications is used by Case Dental School to identify a RPD Case?

- 1. Applegate
- 2. Skinner
- Kennedy
- Blaterfier
- 5. Garcia

5. When all the patient's lower teeth are extracted except #22 and #27, what is the RPD classification?

~~Class 1 mod 1~~ Class 1 mod 1

6. A linguoplate (lingual plate) major connector can be used to perform or enhance which two functions

- A. strengthens the denture
- B. enhances speech "may"

7. The distance from the gingival margin of the natural teeth to the superior border of the lingual bar major connector is: (mandibular)

- ~~A. 2mm~~
- ~~B. 3 - 4mm~~
- C. 6mm
- D. none of the above

8. The distance from the gingival margin of the maxillary natural teeth to the palatal major connector is:

- ~~A. 2mm~~
- ~~B. 3 - 4mm~~
- C. 6mm
- D. none of the above

9. What is the "snow-show effect" when referring to the base area that covers the distal edentulous extensions? (D.E.)

The more area covered = the less pressure is exerted on on point - the force is spread out over the ridge

10. Teeth #9, 8, 7, 12 and 14, 15, 16 have been extracted. What is the RPD classification?

- A. Class II mod II

x x x



DEND 269
Quiz #7 – 10/26/05

1. The types of occlusion that should occur in eccentric movement for complete denture case is governed by:
- a. Centric relationship
 - b. Canine guidance
 - c. Vertical relationship
 - d. Group function
 - e. None of the above

2. The type of occlusion that should occur in eccentric movement for natural teeth is governed by:
- a. Centric relationship
 - b. Canine guidance
 - c. Vertical relationship
 - d. Group function
 - e. None of the above

3. During the try-in appointment one of the things that you will be observing is the closest speaking space. You can test this by having your patient say words with what kinds of sounds?
-

4. Another dimension that you need to check in your C.R. mounting. You will need to verify this:
- a. With your WOR at the appointment when you are registering the vertical dimension and centric relation records.
 - b. At the try-in appointment of the upper and lower anterior teeth.
 - c. At the final try-in appointment where the anteriors and posteriors have been placed.
 - d. All of the above
 - e. Only B

5. The posterior extensions of the maxillary denture should end at the posterior border of the posterior palatal real area.
- a. True
 - b. False

5. Which statements are true when describing an occlusion for natural to natural dentition:
- a. Bilateral balance is often desired for stability
 - b. Non-vertical forces affect all teeth
 - c. Bilateral balance is rare
 - d. Tactile sensitivity is quite pronounced

- 1. A and B
- 2. B and C
- 3. C and D
- 4. A and D
- 5. B and D

7. When setting the mandibular posterior teeth, the lingual cusps should be placed exactly over the crest of the ridge.

- a. True
- b. False

8. After the teeth have been properly set and approved, refining the wax is the next step before processing the dentures. On the mandibular denture, the lingual should have a concave contour. This is done to:

9. The position of the maxillary anterior teeth are established at the try-in appointment. You will note that they will usually follow the contour of the arch.

- a. True
- b. False

10. In the lingualized occlusion set up you want:

- a. The lingual cusps of the maxillary posteriors to rest in the central fossa of the mandibular posteriors.
- b. The buccal cusps of the mandibular teeth to just barely touch the central fossa of the maxillary teeth.
- c. The buccal cusps of the maxillary posterior teeth to not contact the mandibular teeth in centric or in lateral excursions.
- d. A, B, C
- e. A and C
- f. B and C