		Student	Name:	A						
	Student ID:					Cod	le:			
	Possib			ojective	Subj./Essay			e		
EXAM 1:	30.	00 3	0.00	30.00	0	100.00	% A			
Response Description:		<dash> correct response <alphabet> student's incorrect response</alphabet></dash>			<#> <*>	•		<space></space>	no response	
Test Items:	1-5	6-10	11-15	16-20	21-25	26-30				
Answers	-,=,=,=,-	-,-,=,+,-	-,-,-,-,-	-,-,-,-,-	· <b> -,-</b> ,-,-,-	-,-,-,-,-				


No multiple mark answers or answer keys found on this test.

- 1. A: The gingival height is an important factor in esthetic dentistry
  - B: The gingival height in a healthy young individual is generally at the same level from canine to canine.
  - a. Both statements are true
  - b. Statement A is true but statement B is false
  - c. Statement A is false but statement B is true
  - d. Both statements are false
- 2. Which of the following can influence the amount of exposure of the maxillary central incisors?
  - a. Racial factors
  - b. Age
  - c. Gender
  - d. All of the above
  - e. A and b
- 3. Generally, which of the following statement (s) is, (are) true:
  - a. At rest, males show more of maxillary central incisors than females
  - b. Exposure of maxillary central incisors decreases with age
  - c. Exposure of maxillary central incisors increases with age
  - d. Two of the above
- 4. Lengthening illusion of a tooth may be accomplished by all of the following except:
  - a. Emphasizing the horizontal characterization
  - b. Flattening the labial surface
  - c. Increasing the length of the central prominence
  - d. None of the above
- 5. Display of teeth and gingiva beyond the papilla is classified as:
  - a. High lip line
  - b. Middle lip line
  - c. Low lip line
  - d. Smile line
- 6. Adjusting the lateral prominences toward the center, increasing the curvature of the central prominence mesiodistally, and increasing the staining of the interproximal areas might help you to achieve:
  - a. A narrowing illusion
  - b. A lengthening illusion
  - c. A shortening illusion
  - d. A widening illusion

- 7. Vital bleaching is contraindicated if a tooth has:
  - a. Superficial stain
  - b. Mild uniform fluorosis
  - c. Periapical pathosis
  - d. Two of the above
- 8. Power (In office) bleaching is (choose the best answer):
  - a. Bleaching with sodium hypochlorite
  - b. Vital bleaching using 15% Carbamide peroxide and heat
  - c. Vital bleaching using 35% hydrogen peroxide
  - d. Vital using a night guard and 10% Carbamide peroxide
- 9. Which of the following is (are) mandatory when doing an in-office vital bleaching:
  - a. Anesthesia
  - b. Rubber dam
  - c. Acid etch
  - d. B and C
  - e. A, B&C
- 10. The most common side effect(s) of vital bleaching is (are):
  - a. Nausea
  - b. Root resorption
  - c. Tooth sensitivity
  - d. Pulpal necrosis
  - e. Dizziness
- 11. The walking bleach technique is:
  - a. Vital bleaching using a night guard and 10% carbamide peroxide
  - b. Vital bleaching using 35% hydrogen peroxide and heat
  - c. Non-vital bleaching using 35% hydrogen peroxide and Sodium perborate
  - d. Non-vital bleaching using 10% carbamide peroxide in a night guard
- 12. Which of the following must be obtained prior to using any bleaching procedure?
  - a. Recent radiograph
  - b. Periradicular and pulpal status of the teeth
  - c. Complete dental history
  - d. Clinical condition of the tooth crown
  - e. All of the above

- 13. A patient, desiring to whiten his/her teeth presents to you with all vital anterior maxillary teeth with different degrees of staining. Which bleaching technique may insure a better result?:
  - a. In office bleaching of all the maxillary anterior teeth
  - b. Home bleaching of all maxillary teeth
  - c. In office bleaching of the darker teeth followed by home bleaching using a bleaching tray
  - d. Walking bleach technique
- 14. Composite resin restorations should be delayed at least 1 week after bleaching because the bleaching agent decreases the bond strength of composites to enamel.
  - a. Both the statement and reason are true and related
  - b. Both the statement and reason are true but not related
  - c. The statement is true but the reason is not
  - d. The statement is false but the reason is true
  - e. Both the statement and the reason are false
- 15. Which of the following may NOT be used for vital bleaching in a bleaching tray:
  - a. 10 % Carbamide Peroxide
  - b. 15 % Carbamide Peroxide
  - c. 35 % Carbamide Peroxide
  - d. 35 % Hydrogen peroxide
- 16. Microabrasion is considered more permanent than bleaching.
  - a. True
  - b. False
- 17. Microabrasion can be accomplished with:
  - a. Pumice and 18% HCL mixed into a paste
  - b. Mild HCL (10%) with abrasive particles and rubber tip
  - c. 12 fluted composite finishing bur
  - d. All of the above
  - e. A and b only
- 18. Microabrasion works best on:
  - a. Tetracycline staining
  - b. Superficial white brown, and yellow stains
  - c. White spots in enamel
  - d. All of the above
  - e. B and c

19. Consider the following. If teeth # 7 and 8 are in golden proportion, what would be the relationship between A and B?



- a. A/B=B/(A+B)=0.618
- b. A/B=A/(A+B)=0.618
- c. B/A=B/(A+B)=1.618
- d. B/A = A (A+B) = 1.618
- 20. The phenomenon that makes 2 colors with different spectral reflectance appear to match under one lighting source and unmatched under another is known as:
  - a. Hue intensification
  - b. Color adaptation
  - c. Metamerism
  - d. None of the above
- 21 What is the clinical significance of the phenomenon in question 20? :
  - a. Shade should be confirmed under different light source
  - b. A detailed shade map must be made to neutralize the mentioned phenomenon
  - c. The value should be increased to compensate for it
  - d. A and b
  - e. A,B, &C
- 22. The value of a color refer to the:
  - a. The variety or tone of the color
  - b. The saturation of the shade
  - c. The brightness of the shade
  - d. None of the above

- 23. Which of the following periodontal-restorative considerations should be taken into account during treatment planning?
  - a. Lip line, gingival and osseous tissue
  - b. Patients desires
  - c. Occlusion
  - d. Two of the above
  - e. A, B, and C
- 24. In Miller Classification of gingival recession, 100% root coverage can be anticipated in
  - a. Class I gingival recession
  - b. Class II gingival recession
  - c. Class III gingival recession
  - d. A and B only
  - e. All of the above
- 25. Which of the following periodontal surgeries is/ are considered Perio-Esthetic?
  - a. Ridge augmentation
  - b. Root coverage surgery
  - c. Crown lengthening
  - d. All of the above
  - e. None of the above
- 26. Which is the most important factor in determining the amount of root coverage to be expected when performing a connective tissue graft?
  - a. Amount of keratinized tissue
  - b. Occlusal forces on the tooth
  - c. Level of interdental bone
  - d. CEJs of adjacent teeth
- 27. Third degree Tetracycline staining will most likely not respond to short term bleaching:
  - a. True
  - b. False
- 28. Which of the following may be used for vital bleaching in a bleaching tray:
  - a. 10 % Carbamide Peroxide
  - b. 15 % Carbamide Peroxide
  - c. 35 % Carbamide Peroxide
  - d. 35 % Hydrogen peroxide
  - e. A, B, andC only

- 29. Which of the following is increased when teeth are successfully bleached?
  - a. The hue
  - b. The value
  - c. The chroma
  - d. All of the above
- 30. Antero-posterior relationships are **best** evaluated from:
  - a. The profile view
  - b. The Frontal view
  - c. Both a and b